



Intellical PHC101 Laboratory Low Maintenance Gel Filled pH Electrode, 1 m Cable

Product #: PHC10101
AED Price: Contact Hach

Available

Intellical PHC101 is a digital combination pH electrode with built-in temperature sensor. PHC101 has low maintenance needs thanks to a non-refillable gel-filled single open reference junction. The laboratory version of this pH electrode is shockproof with its epoxy plastic body protecting down to the glass bulb sensing element. The Electrode is available with a 3 or 1 m cable. The PHC101 electrode is ideal for measuring pH in wastewater, drinking water and general aqueous applications. The PHC101 is not suitable for use with organic solvents or samples with pH less than 2.

Intellical PHC101 provides fast, stable response in wastewater applications

Unique solid gel probe and open reference junction specifically designed for pH measurement in wastewater.

Intellical digital pH probe provides ultimate traceability in measurement history

Stored time and date stamp for each measurement, operator and sample ID, calibration history, parameter, and pH probe serial number

Intellical digital pH probe alerts the user when re-calibration is needed

No guesswork needed to provide the most reliable and accurate results with each measurement.

Intellical digital pH probe can be moved between meters without the need to re-calibrate or re-enter measurement settings Ideal for a multi-user environment with multiple HQD series Laboratory and Portable meters.

Specifications

| Accuracy: | ±0.02 pH |
|-----------|----------|
|-----------|----------|

Application: Clean & Dirty Samples

Cable length: 1 m

Electrode type: Non-Refillable Gel Reference Element

Junction: Open Junction

Kit?:

Length: 175 mm

Measuring range: 2 - 14 pH

Method Type: Field: Non-Refillable Gel Reference Element

Parameter: pH

Product Kit: Model: PHC101

Accessories Included: None

Reference system: Ag/AgCl

Resolution: 0.001/0.01/0.1

Sample depth: 20 mm Sensor material: Epoxy Sensor type : pH Glass

Sodium (Alkalinity) error: -0.6 pH at pH 12.6 in 1 M NaOH

Special Features: Double junction reference

Temperature accuracy: ± 0.3 °C Temperature range: 0 - 50 °C Temperature resolution: 0.1 °C

Test requirements: Parameter Needed: pH

Minimum Sample Depth (mm): 20

Thermistor: # (ATC)
Warranty: 6 months
Weight: 0.1 kg

What's included?: Intellical PHC101 Laboratory pH electrode with storage soaker bottle, 1 m cable, Test certificate,

and Basic User Manual.

What's included?

Intellical PHC101 Laboratory pH electrode with storage soaker bottle, 1 m cable, Test certificate, and Basic User Manual.