



Intellical ISECL181 Chloride (Cl^-) Ion Selective Electrode (ISE), 1 m cable

Product #: ISECL18101
AED Price: Contact Hach
Call for ship date

Intellical ISECL181 is a digital, combination, Chloride ion selective electrode (ISE) with a with a non-refillable gel Dritek reference with a double junction, ceramic porous pin and porous PTFE annular ring, and built-in temperature sensor. The electrode measures Chloride concentration in water samples. The laboratory version of this ISE is shockproof with its Epoxy plastic body. The Intellical ISECL181 probe is available with a 1 or 3 meter cable and is intended for laboratory use. The ISECL181's solid-state sensor design eliminates membrane replacement and allows for dry storage of the ISE. The ISECL181 is ideal for measuring chloride concentrations in wastewater, drinking water and general water quality applications.

Requires virtually no maintenance

The solid-state sensor design allows for DRY storage of the ISE without a shelf life. Also, the probe does not require the electrolyte to be refilled or membrane replacement.

Fast, stable, and accurate results

Intellical digital probes lock on the result when the measurement is stable, removing the guesswork in having a moving number. Additionally, the probe's large annular reference junction provides maximum surface area between sample and reference electrolyte for fast measurement stability.

Ultimate traceability in measurement history

Stored time and date stamp for each measurement, operator and sample ID, calibration history, parameter, and probe serial number

Can be moved between meters without the need to re-calibrate or re-enter measurement settings

Ideal for a multi-user environment with multiple HQD series Laboratory and Portable meters

Specifications

Accuracy:	± 0.02 mV or 0.05%, whichever is greater
Cable length:	1 m
Electrode type:	Non-Refillable Dritek Gel Reference Element
ISA required:	Chloride ISA (#2318069)
Junction:	Double Junction (ceramic Porous Pin and annular porous PTFE)
Kit?:	No
Length:	175 mm
Measuring range:	0.1 mg/L (3×10^{-6} M) - 35.5 g/L (1 M) Cl^-
Method Type:	Laboratory: Non-Refillable Dritek Gel Reference Element
Parameter:	Chloride
Product Kit:	Model: ISECL181

	Accessories Included: None
Reference system:	Ag/AgCl
Resolution:	Selectable up to 4 significant digits
Sample volume:	25 mL
Sensor material:	Epoxy
Sensor type :	Solid-state crystal membrane
Special Features:	Dry storage & fast response time. No replacement membranes.
Temperature accuracy:	±0.3 °C
Temperature range:	5 - 50 °C
Temperature resolution:	0.1 °C
Test requirements:	Parameter Needed: Chloride
	Minimum Sample Depth (mm): 26
Thermistor:	Integrated
Warranty:	6 months
Weight:	0.1 kg
What's included?:	Intellical ISECL181 combination Chloride ISE, 1 m cable (ISECL18101), Test certificate, and Basic User Manual.

What's included?

Intellical ISECL181 combination Chloride ISE, 1 m cable (ISECL18101), Test certificate, and Basic User Manual.