



Sludge activity (TTC) cuvette test

Product #:

LCK318

AED Price:

Contact Hach

Hazardous



LCK cuvette tests: Minimum amounts of reagents, maximum safety.

Pre-dosed reagents for maximum safety. Easy to use and photometric evaluation, packaged in a fully equipped box. Environmentally friendly due to less chemicals.

Precise and reliable measurement values

Maximum safety for users, thanks to the closed system and low amounts of reagents

Convenient and error-free dosing of the reagents

Barcode label for automatic recognition in the photometer

Differentiation between tests and measuring ranges by means of colour-coding

Specifications

| | |
|------------------------|--|
| According to standard: | DIN 38412-3 |
| Description: | Screening test for sludge activity (TTC-SA) or residual sludge activity (TTC-RA) |
| Instrument: | DR3900, DR6000, DR1900, DR2800, DR3800, DR5000 |
| Measuring range: | 5 - 200 µg Formazan (SA) |
| Measuring range (2): | 0 - 500 % Residual activity (RA) |
| Method: | Colorimetric |
| Parameter: | Sludge activity |
| Platform: | LCK |
| Storage conditions: | 2 - 8 °C |

Required Accessories

- Membrane filtration set with 50 membrane filters 1.2 µm (Item LCW904)
- Accessory kit sludge activity (Item LZC918)
- Gloves, Disposable, Powder Free, Nitrile, Large (Item 2550503)